PATENT APPL

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the Application of

Mutsumi KIMURA et al.

Application No.: 09/077,029

Filed:

May 18, 1998

Group Art Unit: 2164

Examiner: Walter Malinowski

Docket No.:

JAO 40499



MATRIX TYPE DISPLAY DEVICE AND MANUFACTURING METHOD THEREOF

FOURTH INFORMATION DISCLOSURE STATEMENT

irector of the U.S. Patent and Trademark Office Washington, D.C. 20231

Sir:

Pursuant to 37 CFR §1.56, the attention of the Patent and Trademark Office is hereby directed to the reference(s) listed on the attached PTO-1449. Unless otherwise indicated herein, one copy of each reference is attached. It is respectfully requested that the information be expressly considered during the prosecution of this application, and that the reference(s) be made of record therein and appear among the "References Cited" on any patent to issue therefrom.

 \boxtimes This Information Disclosure Statement is being filed more than three months after the U.S. filing date and after the mailing date of a Final Rejection or Notice of Allowance, but before payment of the Issue Fee. Attached is our Check No. 127852 in the amount of \$180.00 in payment of the fee under 37 CFR §1.17(p). Please credit or debit Deposit Account No. 15-0461 as needed to ensure consideration of the disclosed information. Two duplicate copies of this paper are attached.

X I hereby certify that no item of information in this Information Disclosure Statement was cited in a communication from a foreign patent office in a counterpart foreign application or, to my knowledge after making reasonable inquiry, was known to any individual designated in 37 CFR §1.56(c) more than three months prior to the filing of this Information Disclosure Statement. 37 CFR §1.97(e)(2).

English-language abstracts of the non-English language references are attached 2. hereto.

02/21/2002 MAHMED1 00000042 09077029

 \boxtimes

01 FC:126

1

180.00 OP

JAO:EDM/gam

Date: February 15, 2002

OLIFF & BERRIDGE, PLC P.O. Box 19928 Alexandria, Virginia 22320 Telephone: (703) 836-6400

Respectfully submitted,

RECEIVED.

MAY 0 2 2002

James A. Oliff Registration No. 27,075

GROUP 360(

Eric D. Morehouse Registration No. 38,565

> **DEPOSIT ACCOUNT USE AUTHORIZATION** Please grant any extension necessary for entry; Charge any fee due to our Deposit Account No. 15-0461

Form PTO-1449 (REV. 8-83)	US Dept. of Commerce PATENT & TRADEMARK OFFICE	ATTY DOCKET NO. JAO 40499	APPLICATION NO. 09/077,029						
INFORMATION DISCLOSURE STATEMENT			PEC						
(Use several sheets if necessary) E		APPLICANT(S) Mutsumi KIMURA et al.							
	LEB 1 2 June 5	FILING DATE May 18, 1998	GROUP 2164						
OTHER DOCUMENT (Including Author, Title, Date, Pertinent Pages, etc.)									
	EBISAWA, F. et al., "Electrical Properties June 1983, pp. 3255-3259.	of polyacetylene/polysiloxane interface", J	Appl. Phys., Vol. 54, No. 6,						
	KIDO, Junji et al., "Organic electrolumines No. 7, August 17, 1992, pp. 761-763.	KIDO, Junji et al., "Organic electroluminescent devices based on molecularly doped polymers", <i>Appl. Phys. Lett.</i> , Vol. 61, No. 7, August 17, 1992, pp. 761-763.							
	VAN SLYKE, S.A. et al., "Organic electroluminescent devices with improved stability", <i>Appl. Phys. Lett.</i> , Vol. 69, No. 15, October 7, 1996, pp. 2160-2162.								
	, ,	NDISCLOSURE STATEMENT Veral sheets if noted by Longitude (Including Author, Title, Date, Pertinent Pages, etc.) EBISAWA, F. et al., "Electrical Properties of polyacetylene/polysiloxane interface", J. Appl. Phys., Vol. 54, No. 6, June 1983, pp. 3255-3259. KIDO, Junji et al., "Organic electroluminescent devices based on molecularly doped polymers", Appl. Phys. Lett., Vol. 61, No. 7, August 17, 1992, pp. 761-763. VAN SLYKE, S.A. et al., "Organic electroluminescent devices with improved stability", Appl. Phys. Lett., Vol. 69, No. 15, October 7, 1996, pp. 2160-2162. ZHANG, C. et al., "Blue electroluminescent diodes utilizing blends of poly(p-phenylphenylene vinylene) in poly(p-vinylenbazole)", Symbetic Metals, Vol. 62, 1994, pp. 35-40. VESTWEBER, H. et al., "Electroluminescence from polymer blends and molecularly doped polymers", Symbetic Metals, Vol. 64, 1994, pp. 141-145. NONAKA, Y. et al., "Development of Color Filters by Pigment Ink Jet Printing (I) (Fundamental Technology)", SJD, 1997, pp. 238-241. WU, Chung-Chih et al., "Efficient Organic Electroluminescent Devices Using Single-Layer Doped Polymer Thin Films with Bipolar Carrier Transport Abilities", IEEE Transactions on Electron Devices, Vol. 44, No. 8, August 1997, pp. 1280-1281. WU, C.C. et al., "Surface modification of Indium in oxide by plasma treatment: An effective method to improve the efficiency, brightness, and reliability of organic light emitting devices", Appl. Phys. Lett., Vol. 70, No. 11, March 17, 1997, pp. 1348-1350. MARSELLS, Michael J. et al. "Regionchemical Consequences in Poly(2-pyridylvinylene) and Poly(p-pyridinium/vinylene)", Polymer Preprints, Vol. 33, No. 2, August 1994, pp. 761-762. MAYO, Jonathan W. et al. "Regionchemical Consequences in Poly(2-5-Pyridinium Vinylene): Kekule' and Non-Kekule' Conductive Polymers", Polymer Preprints, Vol. 33, No. 1, April 1992, pp. 1196-1197. HOSOKAWA, Chishio et al., "Highly efficient blue electroluminescence from a distrylarylene emitting layer with a new dopant", Appl. Phys. Lett., Vol.							
		RE TRADEMARK OFFICE JAO 40499 APPLICANT(S) Mutsumi KIMURA et al. FILING DATE May 18, 1998 FILING DATE May 18, 1998 THE CONTROL (Including Author, Title, Date, Pertinent Pages, etc.) F. et al., "Electrical Properties of polyacetylene/polysiloxane interface", J. Appl. Phys., Vol. 54, No. 6, pp. 3255-3259. et al., "Organic electroluminescent devices based on molecularly doped polymers", Appl. Phys. Lett., Vol. 61, st 17, 1992, pp. 761-762. E. S. A. et al., "Organic electroluminescent devices with improved stability", Appl. Phys. Lett., Vol. 69, No. 15, 996, pp. 2160-2162. et al., "Blue electroluminescent diodes utilizing blends of poly(p-phenylphenylene vinylene) in carbazolo", Synthetic Metals, Vol. 62, 1994, pp. 35-40. gt. H. et al., "Electroluminescent from polymer blends and molecularly doped polymers", Synthetic Metals, Vol. 62, 1994, pp. 35-40. gt. H., et al., "Electroluminescent Electroluminescent Devices Using Single-Layer Doped Polymer Thin Films Carrier Transport Abilities", IEEE Transactions on Electron Devices, Vol. 44, No. 8, August 1997, 81. al., "Surface modification of fluint in oxide by plasma treatment: An effective method to improve the rightness, and reliability of organic light emitting devices", Appl. Phys. Lett., Vol. 70, No. 11, March 17, 1997, 190. al., "Surface modification of indum tin oxide by plasma treatment: An effective method to improve the rightness, and reliability of organic light emitting devices", Appl. Phys. Lett., Vol. 70, No. 11, March 17, 1997, 190. al., "Surface modification of limin tin oxide by plasma treatment: An effective method to improve the rightness, and reliability of organic light emitting devices", Appl. Phys. Lett., Vol. 70, No. 11, March 17, 1997, 190. al., "Surface modification of limin tin oxide by plasma treatment: An effective method to improve the rightness, and reliability of organic light emitting devices", Appl. Phys. Lett., Vol. 70, No. 11, March 17, 1997, pp. 100, 190, 190, 190, 190, 190, 190, 190,							
	NONAKA, Y. et al., "Development of Colo pp. 238-241.	ENT & TRADEMARK OFFICE LOSURE STATEMENT cets if necessity E APPLICANT(S) Musumi KIMURA et al. FILING DATE May 18, 1998 OTHEROGUMENT (including Author, Title, Date, Pertinent Pages, etc.) WA, F. et al., "Electrical Properties of polyacetylene/polysiloxane interface", J. Appl. Phys., Vol. 54, No. 6, 833, pp. 2255-3259 Junji et al., "Organic electroluminescent devices based on molecularly doped polymers", Appl. Phys. Lett., Vol. 61, August 17, 1992, pp. 761-763. LYKE, S.A. et al., "Organic electroluminescent devices with improved stability", Appl. Phys. Lett., Vol. 69, No. 15, 7, 1996, pp. 2160-2162. G. C. et al., "Blue electroluminescent diodes utilizing blends of poly(p-phenylphenylene vinylene) in vinylearbazole)", Synthetic Metals, Vol. 62, 1994, pp. 35-40. WEBER, H. et al., "Electroluminescence from polymer blends and molecularly doped polymers", Synthetic Metals, 1994, pp. 141-145. KA, Y. et al., "Development of Color Filters by Pigment Ink Jet Printing (1) (Fundamental Technology)", SJD, 1997, 1-241. Mung-Chih et al., "Efficient Organic Electroluminescent Devices Using Single-Layer Doped Polymer Thin Films polar Carrier Transport Abilities", IEEE Transactions on Electron Devices, Vol. 44, No. 8, August 1997, 99-1281. C. et al., "Surface modification of indium tin oxide by plasma treatment: An effective method to improve the expl. brightness, and reliability of organic light emitting devices", Appl. Phys. Lett., Vol. 70, No. 11, March 17, 1997, 8-1350. Jing et al., "Luminescent Properties of Conjugated Poly(p-pyridylvinylene) and Poly(p-pyridiniumvinylene)", Preprints, Vol. 35, No. 2, August 1994, pp. 761-762. ELLS, Michael J. et al. "Regiochemical Consequences in Poly(2,5-Pyridinium Vinylene): Kekule' and Non-Kekule' into Polymers", Polymer Preprints, Vol. 33, No. 1, April 1992, pp. 1196-1197. KAWA, Chishio et al., "Highly efficient blue electroluminescence from a distryplarylene emitting layer with a new (Appl. Phys. Lett., Vol. 70, No. 20, December 25, 1995, pp. 3833-3855. ER, T.R. et a							
	pp. 238-241. WU, Chung-Chih et al., "Efficient Organic Electroluminescent Devices Using Single-Layer Doped Polymer Thin Films with Bipolar Carrier Transport Abilities", <i>IEEE Transactions on Electron Devices</i> , Vol. 44, No. 8, August 1997, pp. 1269-1281. WU, C.C. et al., "Surface modification of indium tin oxide by plasma treatment: An effective method to improve the								
	WU, C.C. et al., "Surface modification of indium tin oxide by plasma treatment: An effective method to improve the								
	pp. 1348-1350. TIAN, Jing et al., "Luminescent Properties of Conjugated Poly(p-pyridylvinylene) and Poly(p-pyridiniumvinylene)", Polymer Preprints, Vol. 35, No. 2, August 1994, pp. 761-762.								
	Polymer Preprints, Vol. 35, No. 2, August 1994, pp. 761-762.								
	 pp. 238-241. WU, Chung-Chih et al., "Efficient Organic Electroluminescent Devices Using Single-Layer Doped Polymer Thin Films with Bipolar Carrier Transport Abilities", <i>IEEE Transactions on Electron Devices</i>, Vol. 44, No. 8, August 1997, pp. 1269-1281. WU, C.C. et al., "Surface modification of indium tin oxide by plasma treatment: An effective method to improve the efficiency, brightness, and reliability of organic light emitting devices", <i>Appl. Phys. Lett.</i>, Vol. 70, No. 11, March 17, 1997, pp. 1348-1350. TIAN, Jing et al., "Luminescent Properties of Conjugated Poly(<i>p</i>-pyridylvinylene) and Poly(<i>p</i>-pyridiniumvinylene)", <i>Polymer Preprints</i>, Vol. 35, No. 2, August 1994, pp. 761-762. MARSELLS, Michael J. et al. "Regiochemical Consequences in Poly(2,5-Pyridinium Vinylene): Kekule' and Non-Kekule' Conductive Polymers", <i>Polymer Preprints</i>, Vol. 33, No. 1, April 1992, pp. 1196-1197. HOSOKAWA, Chishio et al., "Highly efficient blue electroluminescence from a distyrylarylene emitting layer with a new 								
	MAYO, Jonathan W. et al., "16.3: Colour Filters for Flat Panel Displays by High Definition Ink Jet Printing", Euro								
	PARKER, I.D. et al., "Efficient blue electroluminescence from a fluorinated polyquinoline", Appl. Phys. Lett., Vol. 65,								
	TIAN, Jing et al., "Photophysical Properties, Self-Assembled Thin Films, and Light-Emitting Diodes of								
		, • ,							
	JOHNSON, G.E. et al., "Electroluminescence from single layer molecularly doped polymer films", <i>Pure & Appl. Chem.</i> , Vol. 67, No. 1, 1995, pp. 175-182.								
EXAMINER		DA	TE CONSIDERED						
	tial if citation considered, whether or not citation nformance and not considered. Include copy of this								

Sheet	1	of	2
Sneet	1	01	_

Form PTO-1449 (REV. 8-83)	US Dept. of Commerce PATENT & TRADEMARK OFFICE		ATTY DO	OCKET NO. 99		APPL 09/07	ICATION 7,029		—		
INFORM	ATION DISCLOSURE STATEMENT							Õ	MAY		
(Use several sheets if necessary)			APPLICANT(S) Mutsumi KIMURA et al.						0 2		
			FILING DATE May 18, 1998			GROUP 2164		36	2002		
	U.S.	PAT	ENT DOCU	IMENTS							
EXAMINER INITIAL	DOCUMENT NUMBER		DATE	NAME			CLASS		UB .ASS		
	5,132,248	07/21/92		DRUMMOND et al.							
	5,214,350	05/	25/93	REMEC et al.							
	5,276,380	01/	04/94	TANG							
	5,326,692	07/	05/94	BRINKLEY et al.			,				
1	5,593,788	01/	14/97	SHI et al.							
4	5,610,932	03/	11/97	KESSLER et al.							
	5,854,139	12/	29/98	ARATANI et al.							
	FOREIC	SN P	ATENT DO	CUMENTS			· · · · · · · · · · · · · · · · · · ·				
	DOCUMENT NUMBER		DATE	COUNTE	RY		CLASS		LASS		
	JP-A-62-31174 (w/English abstract)	02/	/10/87	Japan				<u> </u>			
	JP-A-62-85224 (w/English abstract)	04/	/18/87	Japan				<u> </u>			
	OTHER DOCUMENTS (Inc	cludi	ng Author,	Title, Date, Pertinent Page	s, etc.)						
	LEWIS, Richard J., Hawley's Condensed Chemical Dictionary, Thirteenth Edition, 1997, pp. 820 & 900-901.										
	MORRISON, Robert et al., Organic C	MORRISON, Robert et al., Organic Chemistry, Fifth Edition, 1987, p. 637.									
-	BUDAVARI, Susan et al., The Merck 1996, p. 357.	BUDAVARI, Susan et al., The Merck Index An Encyclopedia of Chemicals, Drugs, and Biologicals, Twelfth Edition, 1996, p. 357.									
	ADACHI, Chihaya et al., "Blue light-t February 26, 1990, pp. 799-801.	ADACHI, Chihaya et al., "Blue light-emitting organic electroluminescent devices", Appl. Phys. Lett., Vol. 56, No. 9, February 26, 1990, pp. 799-801.									
	BURROWS, P.E. et al., "Color-tunabl 1996, pp. 2959-2961.	BURROWS, P.E. et al., "Color-tunable organic light-emitting devices", <i>Appl. Phys. Lett.</i> , Vol. 69, No. 20, November 11, 1996, pp. 2959-2961. KIDO, J. et al., "Single-layer white light-emitting organic electroluminescent devices based on dye-dispersed poly(<i>N</i> -vinylcarbazole)", <i>Appl. Phys. Lett.</i> , Vol. 67, No. 16, October 16, 1995, pp. 2281-2283.									
	KIDO, J. et al., "Single-layer white lig poly(N-vinylcarbazole)", Appl. Phys. 1										
	WU, C.C. et al., "Integrated three-cold 1996, pp. 3117-3119.	or org	ganic light-e	emitting devices", Appl. Ph	ys. Lett.,	Vol. 69,	No. 21, No	vembe	г 18,		
	ZHANG, C. et al., "Blue emission from electrodes", Synthetic Metals, Vol. 72.	m po , 199	lymer light 5, pp. 185-	emitting diodes using non 188.	-conjugate	d polym	er blends v	vith air-	-stable		
	ISHIMARU, N. et al., "Development of Color Filters by Pigment Ink Jet Printing (II) (-Production Technology-), SID, 1997, pp. 69-72.										
EXAMINER					DATE	CONSID	ERED				
Examiner: Initi	al if citation considered, whether or not c	itatio	on is in co	nformance with M.P.E.P.	609; drav	w line th	rough cit	ntion if	not in		

RECEIVED